



Eccentric Collet 偏心套筒



Order number	Dimensions (mm)						Milling Machine Adjustment 銑床加工徑 調整範圍	Lathe Machine Adjustment 車床中心高度 調整範圍
	ØD	ØD1	ØD2	L	L1	L2		
EC 2025	20	25	41	47	4	30	+0.5 / -0.2	+0.25 / -0.1
EC 2532	25	32	49	54	6	33		
EC 3240	32	40	58	59	6	35		
EC 4050	40	50	60	87	7	64		

I7

High Speed Drill(3D)




■ For Kyocera Insert

Order number	Insert number	Dimensions (mm)						Screw	Wrench
		D	L	L1	L2	L3	d		
C20 ZC13-36	ZCMT050203	13	108	63	44	39	20	BFTX 0206	TRX06
ZC14-42	ZCMT050203SP	14	111	67	47	42			
ZC15-45	ZCMT050203SU	15	114	70	50	45			
ZC16-48		16	117	73	53	48			
C25 ZC17-51	ZCMT06T204	17	120	76	56	51	25	BFTX 2206	TRX07
ZC18-54		18	135	79	59	54			
ZC19-57	ZCMT06T204SP	19	138	82	62	57			
ZC20-60	ZCMT06T204SU	20	141	85	65	60			
C32 ZC21-63	ZCMT080304	21	144	88	68	63	32	BFTX 02506	TRX08
ZC22-66		22	147	91	71	66			
ZC23-69	ZCMT080304SP	23	150	94	74	69			
ZC24-72	ZCMT080304SU	24	153	97	77	72			
ZC25-75	ZCMT10T304	25	156	100	80	75	32	BFTX 0410	TRX15
ZC26-78		26	159	103	83	78			
ZC27-81		27	162	106	86	81			
ZC28-84		28	165	109	89	84			
ZC29-87	ZCMT10T304SP	29	168	112	92	87	32	BFTX 0410	TRX15
ZC30-90		30	171	115	95	90			

DRILLING SYSTEM



High Speed Drill(3D)



■ For Sumimoto/ Seco Insert

Order number	Insert number	Dimensions (mm)						Screw	Wrench
		D	L	L1	L2	L3	d		
C25 SD14-42	WCMX 030208	14	123	67	47	42	25	BFTX 02506	TRX08
SD15-45		15	126	70	50	45			
SD16-48		16	129	73	53	48			
SD17-51		17	132	76	56	51			
SD18-54		18	135	79	59	54			
SD19-57		19	138	82	62	57			
SD20-60		20	141	85	65	60			
C32 SD21-63	WCMX 040208	21	144	88	68	63	32	BFTX 0310	TRX10
SD22-66		22	147	91	71	66			
SD23-69		23	150	94	74	69			
SD24-72		24	153	97	77	72			
SD25-75	WCMT 050308	25	156	100	80	75	32	BFTX 03509	TRX15
SD26-78		26	159	103	83	78			
SD27-81		27	162	106	86	81			
SD28-84		28	165	109	89	84			
SD29-87		29	168	112	92	87			
SD30-90		30	171	115	95	90			
SD31-93		31	174	118	98	93			
SD32-96	WCMT 06T308	32	177	121	101	96	32	BFTX 0410	TRX15
SD33-99		33	180	124	104	99			
SD34-102		34	183	127	107	102			
SD35-105		35	186	130	110	105			
SD36-108		36	189	133	113	108			
SD37-111		37	192	136	116	111			
SD38-114		38	195	139	119	114			
SD39-117		39	198	142	122	117			
SD40-120	WCMT 080412	40	201	145	125	120	40	BFTX 0410	TRX15
C40 SD41-123		41	218	153	128	123			
SD42-126		42	221	156	131	126			
SD43-129		43	224	159	134	129			
SD44-132		44	227	162	137	132			
SD45-135		45	230	165	140	135			
SD46-136		46	233	168	143	138			
SD47-141		47	236	171	146	141			
SD48-144		48	239	174	149	144			
SD49-147		49	242	177	152	147			
SD50-150		50	245	180	155	150			
SD51-153		51	248	183	158	153			
SD52-156		52	251	186	161	156			
SD53-159		53	254	189	164	159			
SD54-162		54	257	192	167	162			
SD55-165		55	260	195	170	1665			
SD56-168		56	263	198	173	168			
SD57-171		57	266	201	176	171			
SD58-174		58	269	204	179	174			
SD58-177		59	272	207	182	177			
SD60-180		60	275	210	185	180			


G

DRILLING SYSTEM



High Speed Drill(3D)

Point 點數



■ For Sumimoto/ Seco Insert

Order number		Insert number	Dimensions (mm)								
			D	L	L1	L2	L3	d	Screw	Wrench	
C25 SD14.5-43.5 SD15.5-46.5 SD16.5-49.5 SD17.5-52.5 SD18.5-55.5 SD19.5-58.5 SD20.5-61.5	WCMX 030208	14.5	124.5	68.5	48.5	43.5	25	BFTX 02506	TRX08		
		15.5	127.5	71.5	51.5	46.5					
		16.5	130.5	74.5	54.5	49.5					
		17.5	133.5	77.5	57.5	52.5					
		18.5	136.5	80.5	60.5	55.5					
		19.5	139.5	83.5	63.5	58.5					
		20.5	142.5	86.5	66.5	61.5					
C32 SD21.5-64.5 SD22.5-67.5 SD23.5-70.5 SD24.5-73.5 SD25.5-76.5	WCMX 040208	21.5	145.5	89.5	69.5	64.5	32			BFTX 0310	TRX10
		22.5	148.5	92.5	72.5	67.5					
		23.5	151.5	95.5	75.5	70.5					
		24.5	154.5	98.5	78.5	73.5					
		25.5	157.5	101.5	81.5	76.5					
SD26.5-79.5 SD27.5-82.5 SD28.5-85.5 SD29.5-88.5	WCMX 050308	26.5	160.5	104.5	84.5	79.5					
		27.5	163.5	107.5	87.5	82.5					
		28.5	166.5	110.5	90.5	85.5					
		29.5	169.5	113.5	93.5	88.5					