

INSPIRE CREATIVITY

Milling

Cutting tools


Provide brilliant cutting tool solutions
to increase efficiency and reduce costs





ARS Radius Face Milling Cutter

ITEM CODE	D	L	d	T	Insert(PCS)	Screw	Clamp+Screw	wrench
ARS 50*22*4T-5R	50	50	22	4	RDMW10T3	M4.0(4003)	PR-05/M3.5(3501)	T15
ARS 50*22*3T-8R	50	45	22	3	RDKW1604	M5.0(5001)	PR-08-1/M5.0(5001)	T20
ARS 63*25.4*4T-8R	63	50	25.4	4				
ARS 63*25.4*5T-8R	63	50	25.4	5				
ARS 66*25.4*4T-8R	66	50	25.4	4				
ARS 66*25.4*5T-8R	66	50	25.4	5				
ARS 80*25.4*5T-8R	80	50	25.4	5				



RD Radius Milling Cutter

ITEM CODE	D	L1	L	d	T	Insert	Screw	wrench
RD 12*100*12-2T-2.5R	12	20	100	12	2	RDMW0501	M2.0(2003)	T6
RD 12*100*12-3T-2.5R	12	20	100	12	3			
RD 13*100*12-2T-2.5R	13	20	100	12	2			
RD 16*150*16-2T-3.5R	16	30	150	16	2	RDMW0702	M2.5(2501)	T8
RD 17*150*16-2T-3.5R	17	30	150	16	2			
RD 20*150*20-3T-3.5R	20	30	150	20	3			
RD 21*150*20-3T-3.5R	21	30	150	20	3			
RD 25*150*25-4T-3.5R	25	40	150	25	4			
RD 26*150*25-4T-3.5R	26	40	150	25	4	RDMW1003	M3.5(3505)	T15
RD 20*150*20-2T-5R	20	30	150	20	2			
RD 21*150*20-2T-5R	21	30	150	20	2			
RD 25*150*25-3T-5R	25	40	150	25	3			
RD 26*150*25-3T-5R	26	40	150	25	3			
RD 32*150*32-4T-5R	32	40	150	32	4			
RD 35*150*32-4T-5R	35	40	150	32	4			



ARS Radius Modular Milling Cutter

ITEM CODE	D	L	d	B	T	Insert	Screw	Clamp+Screw	wrench
ARS 25*5R*3T-M12	25	40	M12x1.75	3	12.5	RDMW10T3	M4.0(4003)	PR-05/M3.5(3501)	T15
ARS 26*5R*2T-M12	26	40	M12x1.75	2	12.5				
ARS 26*5R*3T-M12	26	40	M12x1.75	3	12.5				
ARS 35*5R*4T-M16	35	40	M16x2.0	4	17				



JANPO PRECISION TOOLS CO., LTD.

TEL : +886-4-7225168

FAX : +886-4-7238077

<http://www.cutters.com.tw>

E-mail: janpo@cutters.com.tw

No. 37-5, Ln. 185, Zhongshan Rd., Hediao Vil., Changhua City, Changhua County 500, Taiwan(R.O.C.)

Round Milling Cutter Series

ITEM CODE

RDMW0501MO
RDMW0702MO
RDMW10T3MO
RDKW1604MO
RDMW0802MO
RDMW1003MO



RD Radius Face Milling Cutter

ITEM CODE	D	L	d	T	Insert(PCS)	Screw	Clamp+Screw	wrench
RD 50*22*5T-5R	50	50	22	5	RDMW1003	M3.5(3505)	PR-05/M3.5(3501)	T15
RD 63*25.4*6T-5R	63	50	25.4	6				




RD Radius Modular Milling Cutter

ITEM CODE	D	L	d	B	T	Insert(PCS)	Screw	Clamp+Screw	wrench
RD 11*2.5R*2T-M05	11	18	M5*0.8	5.5	2	RDMW0501	M2.0(2003)	PR-05/M3.5(3501)	T6
RD 12*2.5R*3T-M06	12	19	M6*1.0	6.5	3				
RD 13*2.5R*2T-M06	13	19	M6*1.0	6.5	2				
RD 13*2.5R*3T-M06	13	19	M6*1.0	6.5	3				
RD 16*3.5R*2T-M08	16	28	M8x1.25	8.5	2	RDMW0702	M2.5(2501)	PR-05/M3.5(3501)	T8
RD 16*3.5R*3T-M08	16	28	M8x1.25	8.5	3				
RD 17*3.5R*2T-M08	17	28	M8x1.25	8.5	2				
RD 17*3.5R*3T-M08	17	28	M8x1.25	8.5	3				
RD 20*3.5R*3T-M10	20	30	M10x1.5	10.5	3				
RD 20*3.5R*4T-M10	20	30	M10x1.5	10.5	4				
RD 21*3.5R*3T-M10	21	30	M10x1.5	10.5	3				
RD 21*3.5R*4T-M10	21	30	M10x1.5	10.5	4				
RD 25*3.5R*4T-M12	25	35	M12x1.75	12.5	4				
RD 25*3.5R*5T-M12	25	35	M12x1.75	12.5	5				
RD 26*3.5R*4T-M12	26	35	M12x1.75	12.5	4				
RD 26*3.5R*5T-M12	26	35	M12x1.75	12.5	5				
RD 35*3.5R*5T-M16	35	43	M16x2.0	17	5	RDMW1003	M3.5(3505)	PR-05/M3.5(3501)	T15
RD 35*3.5R*6T-M16	35	43	M16x2.0	17	6				
RD 25*5R*3T-M12	25	40	M12x1.75	12.5	3				
RD 26*5R*3T-M12	26	40	M12x1.75	12.5	3				
RD 35*5R*4T-M16	35	43	M16x2.0	17	4				



ARS Radius Milling Cutter

ITEM CODE	D	L1	L	d	T	Insert	Screw	Clamp+Screw	wrench
ARS 20*150*20-2T-4R	20	40	150	20	2	RDMW0802	M3.0(3002)	PR-04/M3.0(3002)	T8
ARS 20*150*20-3T-4R	20	40	150	20	3				
ARS 21*150*20-2T-4R	21	40	150	20	3				
ARS 25*150*25-4T-4R	25	35	150	25	4				
ARS 25*150*25-2T-5R	25	40	150	25	2	RDMW10T3	M4.0(4003)	PR-05/M3.5(3501)	T15
ARS 25*200*25-2T-5R	25	40	200	25	2				
ARS 26*150*25-2T-5R	26	40	150	25	2				
ARS 26*200*25-2T-5R	26	40	200	25	2				
ARS 30*150*25-2T-5R	30	40	150	25	2				
ARS 30*200*25-2T-5R	30	40	200	25	2				
ARS 32*150*32-3T-5R	32	50	150	32	3				
ARS 32*200*32-3T-5R	32	50	200	32	3				
ARS 35*150*32-3T-5R	35	50	150	32	3				
ARS 35*200*32-3T-5R	35	50	200	32	3				
ARS 35*250*32-3T-5R	35	50	250	32	3				
ARS 40*150*32-4T-5R	40	55	150	32	4				
ARS 40*200*32-4T-5R	40	55	200	32	4				




Milling Cutter Series

ITEM CODE

APMT1135PDER
APMT1604PDER

UAPK Milling Cutter Disc



ITEM CODE	D	H	L	d	T	Insert(PCS)	Screw	wrench
UAPK 63*75H*25.4*S4(20T)	63	75	100	25.4	4	APMT1604(20)	M4.0(4002)	T15



UAP Shoulder Face Milling Cutter

ITEM CODE	D	L	d	T	Insert(PCS)	Screw	wrench
UAP11 50*25.4*6T	50	50	25.4	6	APMT1135	M2.5 (2501)	T8
UAP16 50*22*4T	50	50	22	4			
UAP16 50*25.4*4T	50	50	25.4	4			
UAP16 63*25.4*5T	63	50	25.4	5	APMT1604	M4.0(4002)	T15
UAP16 80*25.4*6T	80	50	25.4	6			
UAP16 100*31.75*7T	100	50	31.75	7			




UAP Modular Milling Cutter

ITEM CODE	D	L	d	B	T	Insert(PCS)	Screw	wrench
UAP11 16*2T-M08	16	25	M8x1.25	8.5	2			
UAP11 17*2T-M08	17	25	M8x1.25	8.5	2			
UAP11 20*2T-M10	20	30	M10x1.5	10.5	2			
UAP11 20*3T-M10	20	30	M10x1.5	10.5	3			
UAP11 21*2T-M10	21	30	M10x1.5	10.5	2	APMT1135	M2.5 (2501)	T8
UAP11 21*3T-M10	21	30	M10x1.5	10.5	3			
UAP11 25*4T-M12	25	35	M12x1.75	12.5	4			
UAP11 26*4T-M12	26	35	M12x1.75	12.5	4			
UAP11 35*5T-M16	35	35	M16x2.0	17	5			
UAP16 25*2T-M12	25	35	M12x1.75	12.5	2	APMT1604	M4.0(4002)	T15
UAP16 32*3T-M16	32	40	M16x2.0	17	3			

UAP Shoulder Milling Cutter

ITEM CODE	D	L1	L	d	T	Insert(PCS)	Screw	wrench
UAP11 14*125*16-2T	14	30	125	16	2			
UAP11 15*125*16-2T	15	30	125	16	2			
UAP11 16*150*16-2T	16	30	150	16	2			
UAP11 16*200*16-2T	16	30	200	16	2			
UAP11 17*150*16-2T	17	30	150	16	2			
UAP11 17*200*16-2T	17	30	200	16	2			
UAP11 18*150*16-2T	18	30	150	16	2			
UAP11 20*150*20-2T	20	30	150	20	2			
UAP11 20*150*20-3T	20	30	150	20	3	APMT1135	M2.5(2501)	T8
UAP11 20*200*20-2T	20	30	200	20	2			
UAP11 21*150*20-2T	21	30	150	20	2			
UAP11 21*150*20-3T	21	30	150	20	3			
UAP11 25*150*25-3T	25	30	150	25	3			
UAP11 25*150*25-4T	25	30	150	25	4			
UAP11 26*150*25-3T	26	30	150	25	3			
UAP11 26*150*25-4T	26	30	150	25	4			
UAP11 30*150*25-5T	30	30	150	25	5			
UAP11 33*150*32-5T	33	35	150	32	5			
UAP11 35*150*32-5T	35	35	150	32	5			
UAP16 25*150*25-2T	25	40	150	25	2			
UAP16 25*200*25-2T	25	40	200	25	2			
UAP16 26*150*25-2T	26	40	150	25	2			
UAP16 26*200*25-2T	26	40	200	25	2	APMT1604	M4.0(4002)	T15
UAP16 32*150*32-3T	32	40	150	32	3			
UAP16 32*200*32-3T	32	40	200	32	3			
UAP16 35*150*32-3T	35	40	150	32	3			
UAP16 40*150*32-4T	40	40	150	32	4			
UAP16 40*200*32-4T	40	40	200	32	4			





MFH01 High Feed Milling Cutter Series

ITEM CODE
LPGT010210ER



MFH01 High Feed Milling Cutter

ITEM CODE	D	L1	L	d	T	Insert	Screw	wrench
MFH01 10*100*10-2T	10	20	100	10	2	LPGT010210ER	M2.0(2004)	T6
MFH01 11*100*10-2T	11	20	100	10	2			
MFH01 12*100*12-3T	12	20	100	12	3			
MFH01 13*100*12-3T	13	20	100	12	3			



MFH01 Modular Milling Cutter

ITEM CODE	D	L	d	B	T	Insert	Screw	wrench
MFH01? 11*2T-M05	11	14.8	M5*0.8	5.5	2	LPGT010210ER	M2.0(2004)	T6
MFH03? 13*3T-M06	13	16.5	M6*1.0	6.5	3			


EXN High Feed Milling Cutter Series

ITEM CODE
LNMU0303ZER



EXN High Feed Modular Milling Cutter

ITEM CODE	D	L	d	B	T	Insert	Screw	wrench
EXN 16*2T-M08	16	30	M8x1.25	8.5	2	LNMU0303ZER	M2.5(2515)	T8
EXN 17*2T-M08	17	30	M8x1.25	8.5	2			
EXN 20*3T-M10	20	30	M10x1.5	10.5	3			
EXN 21*3T-M10	21	30	M10x1.5	10.5	3			
EXN 25*4T-M12	25	35	M12x1.75	12.5	4			
EXN 26*4T-M12	26	35	M12x1.75	12.5	4			
EXN 30*4T-M12	30	35	M12x1.75	12.5	4			
EXN 32*5T-M16	32	35	M16x2.0	17	5			
EXN 33*5T-M16	33	35	M16x2.0	17	5			
EXN 35*5T-M16	35	35	M16x2.0	17	5			
EXN 40*6T-M16	40	45	M16x2.0	17	6			



EXN High Feed Milling Cutter

ITEM CODE	D	L1	L	d	T	Insert	Screw	wrench
EXN 16*150*16-2T	16	30	150	16	2	LNMU0303ZER	M2.5(2515)	T8
EXN 17*150*16-2T	17	30	150	16	2			
EXN 20*150*20-3T	20	35	150	20	3			
EXN 21*150*20-3T	21	35	150	20	3			
EXN 25*150*25-4T	25	40	150	25	4			
EXN 26*150*25-4T	26	40	150	25	4			
EXN 32*150*32-5T	32	40	150	32	5			
EXN 33*150*32-5T	33	40	150	32	5			
EXN 35*150*32-5T	35	40	150	32	5			




EXN High Feed Face Milling Cutter

ITEM CODE	D	L	d	T	Insert	Screw	wrench
EXN 50*22*8T	50	50	22	8	LNMU0303ZER	M2.5(2515)	T8
EXN 50*25.4*8T	50	50	25.4	8			
EXN 63*25.4*8T	63	63	25.4	8			



MFH03 High Feed Milling Cutter Series

ITEM CODE
LOGU030310ER



MFH03 High Feed Modular Milling Cutter


ITEM CODE	D	L	d	B	T	Insert	Screw	wrench
MFH03 16*2T-M08	16	30	M8x1.25	8.5	2	LOGU030310ER	M3.0(3002)	T8
MFH03 17*2T-M08	17	30	M8x1.25	8.5	2			
MFH03 20*3T-M10	20	30	M10x1.5	10.5	3			
MFH03 21*3T-M10	21	30	M10x1.5	10.5	3			
MFH03 25*4T-M12	25	35	M12x1.75	12.5	4			
MFH03 26*4T-M12	26	35	M12x1.75	12.5	4			
MFH03 32*5T-M16	32	35	M16x2.0	17	5			
MFH03 33*5T-M16	33	35	M16x2.0	17	5			
MFH03 35*5T-M16	35	35	M16x2.0	17	5			

MFH03 High Feed Milling Cutter

ITEM CODE	D	L1	L	d	T	Insert	Screw	wrench
MFH03 16*150*16-2T	16	30	150	16	2	LOGU030310ER	M3.0(3002)	T8
MFH03 17*150*16-2T	17	30	150	16	2			
MFH03 20*150*20-3T	20	30	150	20	3			
MFH03 21*150*20-3T	21	30	150	20	3			
MFH03 25*150*25-4T	25	35	150	25	4			
MFH03 26*150*25-4T	26	35	150	25	4			
MFH03 32*150*32-5T	32	40	150	32	5			
MFH03 33*150*32-5T	33	40	150	32	5			
MFH03 35*150*32-5T	35	40	150	32	5			

MFH03 High Feed Face Milling Cutter

ITEM CODE	D	L	d	T	Insert	Screw	wrench
MFH03 50*22*8T	50	50	22	8	LOGU030310ER	M3.0(3002)	T8
MFH03 50*25.4*8T	50	50	25.4	8			
MFH03 63*25.4*8T	63	50	25.4	8			
MFH03 80*25.4*8T	80	50	25.4	10			



Type No. Dimensions(mm)
IC S RE D1 AN


WCMX030204-DX	5.56	2.38	0.4	2.55	7°
WCMX030208-DX	5.56	2.38	0.8	2.55	7°
WCMX040204-DX	6.35	2.38	0.4	2.80	7°
WCMX040208-DX	6.35	2.38	0.8	2.80	7°
WCMX050308-DX	7.94	3.18	0.8	3.20	7°
WCMX06T308-DX	9.525	3.97	0.8	3.70	7°
WCMX080412-DX	12.70	4.76	1.2	4.30	7°

WCMX drill 2D/3D Rapid Drill

Specifications Insert

φ14 ~ 19.5mm	WCMX030208
φ20 ~ 23.5mm	WCMX040208
φ24 ~ 25mm	WCMX050308
φ25.5 ~ 30mm	WCMX050308
φ31 ~ 35mm	WCMX06T308
φ35.5 ~ 41mm	WCMX06T308
φ42 ~ 45mm	WCMX080412
φ46 ~ 50mm	WCMX080412
φ51 ~ 55mm	WCMX080412
φ56 ~ 60mm	WCMX080412

Rapid Drill Series



Type No. Dimensions(mm)
IC S RE D1 AN

SPMG050204DG-DX	5.00	2.38	0.4	2.25	14°
SPMG060204DG-DX	6.00	2.38	0.4	2.61	14°
SPMG07T308DG-DX	7.94	3.97	0.8	2.85	15.5°
SPMG090408DG-DX	9.80	4.30	0.8	4.05	17.5°
SPMG110408DG-DX	11.50	4.80	0.8	4.50	16.5°

SPMG drill 2D/3D Rapid Drill

Specifications Insert

φ12.5 ~ 15.5mm	SPMG0502
φ16 ~ 20mm	SPMG0602
φ20.5 ~ 21.5mm	SPMG0602
φ22 ~ 25mm	SPMG07T3
φ25.5 ~ 27.5mm	SPMG07T3
φ28 ~ 30mm	SPMG0904
φ30.5 ~ 33.5mm	SPMG0904
φ34 ~ 35mm	SPMG1104
φ36 ~ 40mm	SPMG1104
φ41mm	SPMG1104